Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	US-5349515-\$.DID. OR US-5656923-\$.DID. OR US-6400584-\$.DID.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/30 14:01
S2	11729	feed\$1forward	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/30 14:04
S4	615	S2 with (rapid\$2 quick\$2 fast\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/30 14:04
S5	161	S4 with (volt\$3 current power compensat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 09:31
S6	655	pole near5 cancel\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 09:32
S7	257	S6 same (filter\$1 capacit\$5 inductor\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 09:35
S8	3	S6 same (filter\$1 and capacit\$5 and inductor\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 09:37
S9	10	S6 same (feed\$1forward)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:26
S10	11753	feed\$1forward	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:27
S11	617	S10 with (rapid\$2 quick\$2 fast\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:27
S12	161	S11 with (volt\$3 current power compensat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:27
S13	6	S12 and g06f\$	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:34
S14	1	"4677366".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/01 10:35
S15	0	feed adj forwared	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 08:47
S16	12903	feed adj forward	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 08:47

S17	12	S16 near capacitance	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 09:24
S18	284	S16 with capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 09:25
S19	1	S18 same cpu	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 09:25
S20	39	S18 with loop	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 12:22
S21	6917	select\$3 near gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 12:29
S22	53	S21 with capacitance	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 13:33
S23	3	S22 with voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 12:30
S24	2022	gain same S16	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 12:40
S25	15	S21 same S16	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 12:40
S26	1828	compensation adj3 loop	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 13:39
S27	507	S26 same gain	US-PGPUB; USPAT; USOCR	OR ·	OFF	2006/05/12 13:40
S28	257	S27 same (power voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 13:40
S29	3	S26 same (select\$3 near gain)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 13:50
S30	550	replicat\$3 near current	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 13:51
S31	2	replicat\$3 near (current adj2 capacitor\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 13:52

S32	43	S30 same gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 13:52
S33	20	S32 same (voltage power)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 14:07
S34	463	(adjust\$3 adj3 voltage) with (based adj3 voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 14:09
S35	297	(adjust\$3 adj3 voltage) near3 (based adj3 voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 14:08
S36	2	(adjust\$3 adj3 voltage) with (based adj3 (select\$3 near voltage))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 14:08
S37	13	(adjust\$3 adj3 voltage) with (based adj3 gain)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 15:18
S38	42427	current adj3 capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 15:18
S39	8	S38 near replicat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 15:19
S40	1	"20030081339"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:11
S41	1	replicat\$3 near current with gain with power	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:12
S42	23	replicat\$3 near current with gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:30
S43	1	(feed adj forward) same (replicat\$4 near current) same gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 09:30
S44	1	(feed adj forward) same (replicat\$4 near current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:31
S45	2050	(feed adj forward) same gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:31
S46	25	(feed adj forward) same (select\$4 near gain)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 15:33

S47	129	(feed adj forward) same ((select\$4 variable) near gain)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:09
S48	1	(feed adj forward) same ((select\$4 variable) near gain) same (replicat\$4 near current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:10
S49	29	(feed adj forward) same ((select\$4 variable) near gain) same (current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:20
S50	0	((select\$4 variable) near gain) same ((replicat\$ mirror) near 3current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:23
S51	211	((select\$4 variable) near gain) same ((replicat\$ mirror) near current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:23
S52	113	S51 same (voltage power)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:30
S53	9	S51 same (power adj suppl\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/07 16:25
S54	205	optimized adj gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 09:31
S55	2	S54 same forward adj control	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 09:32
S56	5	S54 same forward	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 09:35
S57	128	forward adj control adj2 loop	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 09:52
S58	12	S57 with gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 10:38
S59	106	S57 and @ad <= "20030716"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:25
S60	695	((replicat\$4 mirror\$3) near current) same gain same capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 11:30
S61	475	S60 same (voltage power)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 11:32

		Γ				
S62	349	S61 same output	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 11:58
S63	20	S60 same ((adjust\$3 chang\$3) near (voltage power))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 11:32
S64	20	S61 same forward	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 12:56
S65	85	adjust\$3 adj3 voltage adj3 before	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 12:59
S66	1	S65 same gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 12:58
S67	1	S65 same forward	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 12:58
S68	439	(adjust\$3 adj3 before) same forward	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 12:59
S69	3	(adjust\$3 adj3 before) same (forward adj2 (control loop))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:02
S70	1415	(before) same (forward adj2 (control loop))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:03
S71	249	(before) with (forward adj2 (control loop))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:02
S72	79	(before) same (forward adj2 (control loop)) same gain	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:03
S73	28	(before) same (forward adj2 (control loop)) same gain same current	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:05
S74	7	power adj3 adjust\$3 adj3 power adj3 (cpu computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:06
S75	1367	variable adj (power voltage) with capacitor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:16
S76	7	S75 with (cpu computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:07

	_					
S77	0	capacitor adj3 smooth\$3 adj3 (cpu computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:17
S78	4835	capacitor adj3 smooth\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:17
S79	6	capacitor adj3 smooth\$3 adj7 ("cpu" computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:19
S80	27	(power adj supply) near3 capacitor near3 ("cpu" computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:25
S81	1355	control\$3 adj3 (power voltage) adj3 ("cpu" computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:25
S82	83	control\$3 adj3 (power voltage) adj3 supplied adj2 ("cpu" computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:26
S83	1	S82 same capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:27
S84	1580	buffer adj current	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:27
S85	4	capacitor adj3 buffer adj current	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:28
S86	40	capacitor near3 buffer near3 compensat\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:39
S87	79	supplied adj2 (computer "cpu") with capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:40
S88	79	(supplied adj2 (computer "cpu")) with capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:46
S89	692	power adj3 supplied adj3 capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:46
S90	4	S89 adj3 ("cpu" computer)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:50
S91	425	capacitor near5 (reduc\$3 near time)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 13:50

				T	1	
S92	26	S91 with (buffer\$3 capacitance)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:20
S93	21	adjust\$3 adj2 power adj3 based adj3 current	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 15:33
S94	2	supply adj3 demanded adj3 (cpu computer processor)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:22
S95	0	(power adj supply) adj3 supply adj3 (cpu computer processor)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:23
S96	0	(power adj supply) adj3 suppl\$4 adj3 (cpu computer processor)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:23
S97	4437	suppl\$4 adj3 power adj3 (cpu computer processor)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:25
S98	3	suppl\$4 adj3 different adj2 power adj3 (cpu computer processor)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:24
S99	2701	suppl\$4 adj power adj3 (cpu computer processor)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:25
S10 0	84	S99 with capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 14:25
S10 1	60	S100 and @ad <= "20030716"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:15
S10 2	1	adjust\$3 adj2 power adj3 based adj3 capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 15:38
S10 3	0	chang\$3 adj2 power adj3 based adj3 capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 15:38
S10 4	6	adjust\$3 adj3 based adj3 capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 15:47
S10 5	15	power adj2 based adj3 capacitor	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:04
S10 6	69	based adj3 capacitor near current	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:04

S10 7	20	based adj3 (capacitor near current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:14
S10 8	84	power adj3 (capacitor near current)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:14
S10 9	173	(capacitor near current) adj3 power	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:14
S11 0	61	S108 and @ad <= "20030716"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/08 16:15

6/9/2006 8:03:22 AM
C:\Documents and Settings\mcribbs\My Documents\EAST\Workspaces\McDonald.wsp Page 8